

1 WHAT IS CLAIMED IS:

2 1. A portable workstation comprising:

3 a surface having front and back ends;

4 first and second leg assemblies; and

5 a back attached to said back end of said surface, and

6 attached to said first and second leg assemblies;

7 wherein said surface is movably attached to back at an

8 angle.

9
10 2. A portable workstation according to claim 1, wherein said

11 first and second leg assemblies are at least three

12 inches in height.

13
14 3. A portable workstation according to claim 1, wherein said

15 angle is between thirty and sixty degrees.

16
17 4. A portable workstation according to claim 1, wherein said

18 angle is thirty-eight degrees.

19
20 5. A portable workstation according to claim 1, wherein said

21 first and second leg assemblies are between three and

22 six inches in height.

1 6. A portable workstation according to claim 1, wherein said
2 first and second leg assemblies are three inches in
3 height.
4

5 7. A portable workstation according to claim 1, wherein said
6 workstation further comprises a raised portion at said
7 front end of said surface, wherein said raised portion
8 holds the contents of said workstation in position on
9 said surface.

10
11 8. A portable workstation according to claim 7, wherein said
12 raised portion is rectangular.
13

14 9. A portable workstation according to claim 1, wherein said
15 workstation is constructed of a hard plastic.
16

17 10. A portable workstation according to claim 1, wherein said
18 workstation is constructed of wood.
19

20 11. A portable workstation according to claim 1, wherein said
21 workstation is constructed of soft plastic.
22

1 12. A portable workstation according to claim 1, wherein said
2 workstation further comprises a shelf, and wherein said shelf is
3 positioned between said first and second legs, and below said
4 surface.

5
6 13. A portable workstation according to claim 1, wherein said
7 first and second legs are attached to said back via hinges.

8
9 14. A portable workstation according to claim 13, wherein said
10 workstation folds into a flat unit, less than sixteen inches
11 long, less than thirteen inches wide, and less than three inches
12 thick.

13
14 15. A portable workstation according to claim 1, wherein said
15 workstation supports said laptop computer in such a way that the
16 screen of said laptop is positioned between eight and sixteen
17 inches off a user's lap, and wherein the keyboard of said laptop
18 is between three and six inches off a user's lap.

19
20 16. A portable workstation according to claim 1, wherein said
21 workstation further comprises a base connected to the bottom of
22 said first and second legs.

1 17. A portable workstation according to claim 16, wherein said
2 base is connected to said first and second legs via hinges.

3
4 18. A portable workstation according to claim 17, wherein said
5 workstation folds into a portable unit.

6
7 19. A portable workstation for supporting a laptop computer,
8 wherein said workstation comprises:

9 a surface angled at thirty-eight degrees;
10 first and second legs connected to said surface via
11 hinges;

12 a base connected to said first and second legs below
13 said surface; and

14 a shelf connected to said first and second legs, said
15 shelf positioned between said base and said surface.